




Hortispray PRODUCT DESCRIPTION

Sprayer with a hose reel is intended for spraying greenhouse plants growing at height. Two spraying bars up to 3m high (one spraying the end of the row, the other spraying the plants on both sides) equipped with nozzle heads for adjustment and individual setting of the spray liquid stream. The device moves on a suitable track with heating pipes in the greenhouse, is equipped with a hose reel, depending on the version, the machine is able to roll up a 200m hose. The modern drive system of the trolley and rolling machine ensures full synchronization during operation









The batteries are charged by a microprocessor charger that controls the charge status and prevents overcharging. The trolley chassis has been equipped with a row changing system, the wheels are pulled out hydraulically by pressing a button and the entire device is controlled by a PLC controller, which allows you to set the route, speed, turn on the appropriate spray bar while driving, control over the battery charge status informing about upcoming discharge and counts the number of hours worked. Hortispray can be equipped with a battery charging station that allows you to charge the battery without stopping the device during this operation.

• Two spraying bars up to 3m high (one spraying the end of the row, the other spraying the plants on both sides) equipped with nozzle heads for adjustment and individual setting of the spray liquid stream

• Hortispray hose reel is able to roll up a 200m of hose


• Microprocessor charger that controls the battery charge

status and prevents overcharging






- New contactless potentiometer resistant to water, dust and shock,
- The trolley chassis has been equipped with a row changing system, the manouvering wheels are pulled out hydraulically by pressing a button
- Touch display with a PLC controller, which allows you to set the route, speed, turn on the appropriate spray bar while driving, control over the battery charge status informing about upcoming discharge and counts the number of hours worked.



Specification

Length	1900 mm
Width	750 mm
Height	2132 mm
Weight	280 kg
Working pressure	40 BAR
Motor power	0,5 kW
Hose reel motor power	0,14 kW
Menu Language	PL,ENG, FR, RUS, IT
Hose reel capacity	up to 200m

Join the group of our business partmers





FPHU Maryniaczyk

Domaniew 9a, 98-235 Błaszki

Tel / fax +48 792 823 333

E-mail: sales@maryniaczyk.pl

Web: www.maryniaczyk.com